

## Product data sheet

# Diamond Z



### Product Features

- ✓ 3 Timer
- ✓ Guided-user auto calibration
- ✓ Stainless steel protection grid (included)
- ✓ Straightforward HACCP-compliant data storage
- ✓ Simultaneous display of target and actual temperatures, core temperature and timer
- ✓ Hygienic anti-fingerprint stainless hood
- ✓ Core temperature alarm (acoustic and visual)
- ✓ Bright VFD temperature display

## Performance values

230V/50Hz (Schuko Plug - CEE 7/4 Plug Type F)

Heating capacity kW	2
Pump capacity flow pressure l/min	14
Pump capacity pressure bar	0.3
Power consumption A	9.2

## Technical data

Available voltage versions

Order No. 9FT2113

Available voltage versions:

9FT2113.33 230V 50/60Hz (Schuko Plug - CEE 7/4 Plug Type F)

### Electronics

External pt100 sensor connection	integrated
Temperature display	VFD

### Dimensions and volumes

Weight kg	6.5
Total dimensions cm (W x L x H)	33.9 x 19 x 33.5
Filling volume l	58

Temperature values	
Working temperature range °C	+20 ... +95
Temperature stability °C	±0.03
Ambient temperature °C	+5 ... +40

Other	
IP Code	IP X4

Refer to [www.fusionchef.de](http://www.fusionchef.de) for more information regarding the entire Fusionchef product portfolio. Technical changes without prior notification. Images may deviate from the original. | Datasheet No.EN9FT2113/250729